

Network Control Keyboard

KB-2100




Features

- 10.2" capacitive touch screen, 2-point touch control.
- Simultaneous output of 1920*1080P@60Hz videos.
- Supports connecting a total of 500 channels of IPC/NVR devices.
- Supports searching and adding IPCs and NVRs by one click.
- H.264/H.265.
- Capable of decoding 1*4K, 4*1080P, or 8*720P videos.
- 4D joystick allows users to perform pan, tilt, focus, and zoom operations on a PTZ camera.
- Supports connecting VMS, VM, decoder and other devices to control video walls (including window opening, roaming, split screen, sequence, scene, screen on/off, etc.).
- Enable/disable key tone.
- Scheduled restart.
- System upgrade via a USB flash drive.

Specifications

Decoding	Description
Decoding Format	H.264, H.265
Decoding Capability	1-ch 3840 x 2160@25 Hz, 4-ch 1080@30 Hz, 8-ch 720P@30 Hz
Screen Control	Description
Split Screen	1/4/9 (supports simultaneous display of up to 8 channels)
Output	Description
Video Output Resolution	1920 x 1080@60 Hz
Output Interface	Description
HDMI Output	1 x HDMI output interface
Audio Output	1 x standard 3.5mm audio jack (reserved)
Other Interfaces	Description
Serial Port	1 x RS232 (DB9, reserved) 1 x RS485 (half-duplex, reserved)
Network Interface	1 x 10M/100M adaptive Ethernet interface (RJ45)
USB	1 x USB interface (used to upgrade device and connect mouse)
Power	DC 12 V power interface
General	Description
Screen Size	10.2 inches
Joystick	four-dimensional joystick
Max Power Consumption (W)	<15
Product Dimensions (W x H x D) (mm)	449.7 x 178.6 x 115.4
Weight (Kg)	1.4
Operating Temperature	-10 ~ 40° C
Operating Humidity	10% ~ 90% (No-condensing)
Storage Temperature	-40 ~ 60° C

Dimensions



Interface



1	RS485 serial interface (reserved)
2	RS232 serial interface (reserved)
3	HDMI output interface
4	USB interface (used to upgrade device and connect mouse)
5	3.5mm audio jack (reserved)
6	10M/100M adaptive Ethernet interface
7	DC 12V power interface
8	Power switch

Zhejiang Uniview Technologies Co., Ltd.

No. 369, Xietong Road, Xixing Sub-district, Binjiang District, Hangzhou City, 310051, Zhejiang Province, China

Email: overseasbusiness@uniview.com; globalsupport@uniview.com

<http://www.uniview.com>

©2023-2024 Zhejiang Uniview Technologies Co., Ltd. All rights reserved.

*Product specifications and availability are subject to change without notice.

*Despite our best efforts, technical or typographical errors may exist in this document. Uniview cannot be held responsible for any such errors and reserves the right to change the contents of this document without prior notice.